

Dementia Webinar Resource List

You Tube Links from the Webinar

Henry's story <https://www.youtube.com/watch?v=fyZQf0p73QM#t=47>


Gladys Wilson's story <http://www.youtube.com/watch?v=CrXz10FcVM>

Bev's song about Nanny Gross http://www.youtube.com/watch?v=nfm6_pDEps0

Bev's Top Pick

Connecting through music with people with dementia: a guide for caregivers
By Robin Rio (music therapist)

<http://www.amazon.com/Connecting-Through-Music-People-Dementia/dp/1843109050>



Research References

Aldridge D (Ed, 2000). *Music Therapy in Dementia Care*, London: Jessica Kingsley Publishers, 186-197

Alzheimer's Organization (2013). www.alz.org

Ballard et al (2009). Brief psychosocial therapy for the treatment of agitation in AD (the CALM-AD trial). *Am J Geriatr Psychiatry*, 17(9), 726-733.

Beatty WW, Rogers CL, Rogers RL, English S, Testsa JA, Orbelo DM (1999). Piano playing in AD: longitudinal study of a single case. *Neurocase*, 5:459-469

Brotos M & Koger S (2000). The impact of MT on language functioning in dementia. *Journal of Music Therapy*, 37(3): 183-195.

Brummel-Smith K (2008). Alzheimer's Disease and the Promise of Music and Culture as a Healing Process, Chapter 8. *The Oxford Handbook of Medical Ethnomusicology*. Koen, B (ed) Oxford: Oxford University Press

Clair AA (2002). The effects of music therapy on engagement in family caregiver and care receiver couples with dementia. *Amer Jof Alzheimer's Dis Other Dem*, 17(5):286-290.

Clair AA (2008). Music Therapy Evidence-based outcomes in dementia care: better life quality for those with AD and their families, Chapter 9. *The Oxford Handbook of Medical Ethnomusicology*. Koen, B (ed) Oxford: Oxford University Press

Clair AA, O'Konski M (2006). The effect of rhythmic auditory stimulation (RAS) on gait characteristics of cadence, velocity and stride length in persons with late stage dementia. *J Mus Ther* 43:2

Cohen A et al (2002). The importance of music to seniors. *Psychomusicology*, 18:89-102.

Cohen-Mansfield J. (2001). Nonpharmacologic interventions for inappropriate behaviors in dementia: a review, summary and critique. *Amer J of Ger Psychia*, 9(4):361-381.

Cuddy, LL, Duffin J (2005). Music, memory and AD: is music recognition spared in dementia, and how can it be assessed? *Med Hypotheses*, 64, 229-235.

Gerdner LA, Schoenfelder DP (2010). Evidence-based guideline for individualized music for elders with dementia. *Journal of Gerontological Nursing*, 36:6 7-15

Hays T, Minichiello V (2007). The meaning of music in the lives of older people: a qualitative study. *Psy Mus*, (4):437-451.

Hicks-Moore S (2005). Relaxing music at mealtime in nursing homes and effects on agitated patients with dementia. *J Gerontol Nurs*, 12:26-32.

Holmes C, Knight A, Dean C, Hodkinson S, & Hopkins V (2006). Keep music live: music and the alleviation of apathy in dementia subjects. *Int Psychogeriatr*, 18(4):623-630.

Johnson JK et al (2011). Music recognition in frontotemporal lobar degeneration and Alzheimer disease. *Cog Behav Neur*, 24(2):74-84

Kitwood T (2007). *On Dementia: A Reader and Critical Commentary*. Baldwin C & Andrea Capstick (Ed), New York: Open University Press.

Krishnamoorthy ES et al (2010). *Dementia: A Global Approach*. Cambridge: Cambridge University Press.

Ledger AJ, Baker FA (2007). An investigation of long-term effects of group music therapy on agitation levels of people with Alzheimer's Disease. *Aging & Mental Health*, 11(3), 330-8

MAREP - www.marep.uwaterloo.ca – excellent resource for dementia education

Pace V et al, (2011). *Dementia: from advanced disease to bereavement*. Oxford: Oxford University Press.

Prickett C, Moore R (1991). The use of music to aid memory of Alzheimer's patients. *J MusTherapy*, 27(2):101-110.

Pulsford D & Thompson R (2013). *Dementia: support for family and friends*. London: Jessica Kingsley Publishers.

Raglio A, Bellelli G, Traficante D., Gianotti M, Ubezio MC, Villani D (2008). Efficacy of music therapy in the treatment of behavioral and psychiatric symptoms of dementia. *Alz Dis Assoc Disord*, 22(2), 158-162

Rio R (2009). *Connecting through music with people with dementia: a guide for caregivers*. London: Jessica Kingsley Publishers.

Samandham & Schirm (1995). Music as a nursing intervention for residents with Alzheimer's disease in long term care. *Ger Nurs*, 16(2):79-82.

Samson S et al (2009). Emotional power of music in patients with memory disorders: clinical implications of cognitive neuroscience. *Ann N Y Acad Sci*, 1169:245-255.

Shenk D (2003). *The Forgetting. Alzheimer's: Portrait of an Epidemic*. New York: Anchor Books

Sherratt K, Thornton A, Hatton C (2004). Emotional and behavioral responses to music in people with dementia: an observational study. *Aging & Mental Health*, 8(3):233-241.

Singing for the Brain alzheimers.org.uk/singingforthebrain

Skingley A, Bungay H. the silver song club project: singing to promote the health of older people. *Br J Community Nurs*, 15(3):135-140.

Snyder B (2000). *Music and Memory*. Massachusetts: MIT

Vanstone AD, Cuddy LL (2010). Musical memory in Alzheimer disease. *Aging Neuropsychol Cogn*, 17(1):108-1

Vink AC et al (2011). Music therapy for people with dementia. *Cochrane DB Sys Rev*, (3):CD003477.

Volicer L, Bloom-Charrette L (1999). *Enhancing Quality of Life in Advanced Dementia*. Philadelphia: Brunner/Mazel, Taylor Francis Group.

Woods B, Spector A, Jones C, Orrell M, Davies S (2008). Reminiscence therapy for dementia. *Cochrane Review*.

Ziv N et al (2007). The effect of background stimulative music on behavior in Alzheimer's patients. *J Mus Therapy*, 44(4):329-343.